

Amendment to the Claims:

This listing of claims will replace all prior versions and listings of claims in the application:

1. (Currently amended) A composition comprising
 - a. From 99.9 to 50% by weight of polyamide and
 - b. From 0.1 to 50% by weight of one or more olefin-vinyl acetate copolymers as elastomer, wherein the copolymer is in a pure form.~~popolymers comprising olefins and vinyl acetate.~~
2. (Original) The composition as claimed in claim 1, where B) is polyalkylene-vinyl acetate.
3. (Currently amended) The composition as claimed in ~~one or more of the preceding claims~~claim 2, where B is ethylene-vinyl acetate polymer.
4. (Currently amended) The composition as claimed in ~~one or more of the preceding claims~~claim 3, where the proportion by weight of vinyl acetate, based on component B, is from 30 to 99% by weight.
5. (Original) The composition as claimed in claim 4, where the proportion by weight is from 40 to 95% by weight.
6. (Original) The composition as claimed in claim 4, where the proportion by weight is from 80 to 90% by weight.
7. (Currently amended) The composition as claimed in ~~one or more of the preceding claims~~claim 1s, where at least one nanoscale filler is present.
8. (Original) The composition as claimed in claim 7, where the nanoscale filler is a phyllosilicates.

9. (Currently amended) The composition as claimed in claim 7-~~or~~8, where the nanoscale filler has been selected from the group of the oxides and oxide hydrates of metals or of semimetals.
10. (Currently amended) The composition as claimed in ~~any of claims 7 to 9~~, where the nanoscale filler is used in the range from 0.1 to 5% by weight, based on the polyamide.
11. (Original) A process for preparation of a composition as claimed in claim 1 via melt compounding of the constituents, where nanoscale fillers and elastomers may be metered in either together or else separately from each other.
12. (Currently amended) A process for preparation of a composition as claimed in claim 1 ~~via melt comprising the step of melt compounding the constituents compounding of the constituents, where~~in the elastomer is incorporated in the form of a masterbatch or in the form of a pellet mixture.
13. (Currently amended) ~~The use of molding compositions as claimed in claim 1~~ A method for production of moldings, of single- or multilayer films or of hollow articles, comprising the step of extruding, coextruding, coating, laminating or blow molding a molding composition as claimed in claim 1.
14. (Original) A molding, a single- or multilayer film, or a hollow article produced from molding compositions as claimed in claim 1.
15. (Cancelled)
16. (Cancelled)
17. (New) A composition comprising:
A) from 33.3 to 35% by weight of polyamide and

- B) from 0.1 to 5% by weight of one or more olefin-vinyl acetate copolymers having a vinyl acetate content of from 40 to 95% by weight, as elastomer, wherein the copolymer is in a pure form.
18. (New) The composition of claim 17, wherein B is ethylene vinyl acetate copolymer.
19. (New) The composition as claimed in claim 17, wherein at least one nanoscale filler is present.
20. (New) A method for production of moldings, of single or multilayer films or of hollow articles, comprising the step of extruding, coextruding, coating, laminating or blow molding a composition as claimed in claim 17.
21. (New) A molding, a single or multilayer film, or a hollow article produced from molding compositions as claimed in claim 17.